



KONICA MINOLTA

bizhub 4201i

Black and white A4 printer

**bizhub
i-SERIES IS
SMARTER
WORKING**
RETHINK IT



Giving Shape to Ideas

CUSTOMER BENEFITS

**Mobile connectivity**

Print anytime from anywhere with Konica Minolta's innovative mobile technologies

**Sustainability**

Eco-friendly performance thanks to the integrated Eco mode which lowers energy consumption, thus saving costs

**Small Footprint**

Its small footprint and compact design make it perfectly suitable even for the smallest office as well as desktop use

OPTIONS

1 MEDIA INPUT

Paper tray
PF-P23

Paper tray
PF-P24

**2 MEDIA OUTPUT**

Convenience stapler
CS-2

Paper Tray Lock
PTL-5A

FINISHING FUNCTIONALITIES



Duplex



Corner
stapling
(offline)

DESCRIPTIONS

MEDIA INPUT

PF-P23 Paper tray	250 sheets; Ltr, Lgl; 60–120 gsm
PF-P24 Paper tray	520 sheets; Ltr, Lgl; 60–120 gsm

MEDIA OUTPUT

CS-2 Convenience stapler	50-sheet off-line stapling
PTL-5A Paper Tray Lock	

TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

Panel size/resolution	1 line LCD
System memory (standard/max)	256 MB (standard/max)
Interface	Wireless (2.4 GHz) IEEE 802.11 b/g/n; Wi-Fi Direct IEEE 802.11 g/n Wireless (5 GHz) IEEE 802.11 a/n; Wi-Fi Direct IEEE 802.11 a/n
Network protocols	TCP/IP (IPv4 / IPv6); LPD; IPP; SNMP; HTTP; HTTP(S)
Paper input capacity (standard/max)	520 sheets / 1,610 sheets (standard/max)
Paper Tray 1	1x 520 sheets; 4.1"x5.8" to 8.5"x14"; 60–120 gsm
Paper Tray 2 & 3 (option)	250 or 500 sheets each; 5.8"x8.25" to 8.5"x14"; 60–120 gsm
Manual bypass	50 sheets; 4.1"x5.8" to 8.5"x14"; custom sizes; 60–230 gsm
Automatic duplexing	8.5"x14"; 60–105 gsm
Output Capacity (standard)	Max. 150 sheets
Print volume (monthly)	Rec. 5,000 pages; Max. 100,000 pages
Toner lifetime	Black up to 11,000 pages
Imaging unit lifetime	50,000
Power consumption	110-120 V / 50/60 Hz; Less than 0.57 KW
System dimension (W x D x H)	14.7"x15.3"x11.4" (without options)
System weight	Approx. 27lbs (without options)

PRINTER SPECIFICATIONS

Imaging technology	Laser
Toner technology	Polymerized Toner
Print resolution	1,200 x 1,200 dpi
Print Speed Ltr (mono)	Up to 42 ppm
1st print out time Ltr (mono)	7.2 sec.
Warm-up time	Approx. 25 sec.
Page description language	PCL6, PostScript3, Epson FX-850, IBM Proprinter , PDF 1.7, XPS 1.0
Operating Systems	Windows 10/10 x64/11 Windows Server 2016/2019/2022/2025 macOS 12/13/14/15 Linux RPM, DEB
Printer fonts	85 PCL Latin; 66 PostScript 3 Emulation Latin
Mobile Printing	Direct Print Konica Minolta Mobile Print for iPhone/iPad Konica Minolta Mobile Print for Android Driver Packaging Utility Download Manager Web Based Management Mopria for Android

SYSTEM FEATURES

Security Functions - Standard	SSL2; SSL3 and TLS1.0/1.1/1.2 network communication; IPsec support; IEEE 802.1x support; Secure print; Kerberos
Accounting Functions - standard	Active Directory support (user name + password + e-mail + smb folder)
Software	Net Care Device Manager; Web Connection; Driver Packaging Utility



For complete information on Konica Minolta products and solutions,
please visit: CountOnKonicaMinolta.com